

ARCTIC ARMOR SAFETY COVERS

MEASURING AND ORDERING FORM

Date	□ Order □ Estimate	Company Name	PcPools.com email form to customerservice@pcpools.com					
☐ 15-Yr. Super Mesh	COVER COLOR Green Green Blue Green Blue	SPACING ☐ 5'x 5' ☐ 3'x 3'	ANCHOR TYPE ☐ Concrete ☐ Wood Deck ☐ Lawn/Brick	COPING Is it abrasive? Y ☐ Type:				
SOLD TO: Name		1	<u> </u>	G				
AddressSta	ate Zip		Ē	H I J				
Phone #								
	MARK YOUR POOL TY							
RECTANGLE	[GRECIAN C = G + E + G D = H + F + H		OVAL				
C	H	$\begin{array}{c c} & C \\ \hline & D \\ \hline & E \\ \end{array}$	→ G → ĴF	C D E				
ROMAN $C = G + E + G$ $D = H + F + H$		LAZY L te Left or Right "bend" from llow end - Lazy L Right shov		TRUE L F H	E			

THE ABOVE POOL TYPES ARE MADE WITH 5'X5' SPACING UNLESS OTHERWISE SPECIFIED

ADDITIONAL REQUIRED INFORMATION

12. Raised wall or Raised Bond Beam:


Please submit labelled photos for pools with complex features!

corners of open spillway.

Cutouts may be required if objects are within 18" of pool. Pt# to Pt# Please provide A-B dimensions to locate object. Give A-B dimensions at beginning of wall, as well as along wall to end of wall. Height?_____ All non-removable obstacles. 13. Waterfall or Rock Formation: Pt# to Pt# 1. Grabrails: Pt# to Pt# Distance rails are set back from pool _____ Furnish points at beginning, middle, end of formation. Always use approximate 1' intervals between points. Pt# to Pt# 2. Handrails: Distance rails extend into pool 14. Varying Deck Levels: Pt# to Pt# step 1: Pt# to Pt# 3. Ladders: A-B dimensions require indicating angle of the deck **Ladder Cups** from pool wall, out onto deck. Height?_____ (if cutout needed) Pt# to Pt# Pt#____to Pt#____ step 2: How far does ladder extend into pool? _____ step 3: Pt#_____to Pt#____ 15 Wood Deck: Yes ______No _____ Pt# 4. Fillspout: Dimensions & distance from pool: _____ Are wood deck anchor flanges required Yes No How high if raised? _____ Indicate partial wood deck areas: Pt# to Pt# Pt# to Pt# Dive Stand: 16. Commercial Pool: 6. Slide Legs: Skimmer Pt# to Pt# (within 2 ft) Gutter_____ Distance legs are back from pool _____ If gutter pool, _____ indicate dimension of gutter _____ Pt#____to Pt#____ 7. Dive Rocks: *Covers over 2000 sq. ft. must be made in 3x3 sections. Distance back from pool Give several points along rock, (left side, front side, Additional Requirements right side) Pt#_____to Pt#____ 8. Grab Rocks: Distance back from pool _____ Type and width of coping: _____ and _____ 10. Planter or grass area: Pt#_____to Pt#____ Pt#____to Pt#____ 11. Spa: Separate cover required Yes ______No _____ How high is spa? Is spa wall flush with top of coping? Yes ____ No ____ Yes _____ No ____ Open Spillway: If yes: To locate spillway Pt# to Pt# Give points all around spa and points at all four

POOLTYPE VINYL			p	GUNITE package pool brand				OTHER						
Overall length, from poir									(longest point).					
Overall width, from point					nt									
Additional cross dimensions: Pt#														
			o Pt#=											
* The	distanc	e betw	een A an	nd B is _										
Show	/ A B in	relatio	n to the	pool (o	n sketch	n)								
							/aterlin	e of the	e pool					
		-			-			_			_			_
No.	A	В	No.	A	В	No.	A	В	No.	A	В	No.	A	В
1			17			33			49			65		
2			18			34			50			66		
3			19			35			51			67		
4			20			36			52			68		
5			21			37			53			69		
6			22			38			54			70		
7			23			39			55			71		
8			24			40			56			72		
9			25			41			57			73		
10			26			42			58			74		
11			27			43			59			75		
12			28			44			60			76		
13			29			45			61			77		
14			30			46			62			78		
15			31			47			63			79		
16			32			48			64			80		

PLEASE ANSWER ALL QUESTIONS ON BACK OF PAGE



A-B MEASURING INSTRUCTIONS

Necessary for all free-form pools and ovals w/ step other than center end.

- 1. a. Draw a sketch of the pool shape on the grid provided.
 - b. To represent your A-B line, mark 2 points on the deck in a straight line approximately 3'-4' from the pools edge and about two-third's (2/3) the length of the pool. "A" must always be to the left of "B" as you face the pool.
 - c. Make sure the pool is totally in front of the A-B line. This is a must because your measurements will be incorrect if this instruction is not observed.
 - d. Measure the A-B line, and on your sketch, note its length and position in reference to the pool.
- 2. a. Use chalk to mark and number points clockwise around the entire pool at approximately 3 foot intervals. Point #1 must be directly across from the center point of your A-B line. Make sure your marks are on the inside edge of the pool. Make each step corner a numbered point. Measure sharp curves and angles at 1'to 2' intervals or less. Any obstructions such as ladders, slides, rocks, waterfalls, etc. should be a numbered point. Measure these last after complete all pool points.
 - b. Obstructions away from the water's edge but within the 18" overlap area should be numbered last on the A-B form, not in succession as you measure around the pool's edge.
 - c. Make sure to include steps, ladders, waterfalls or any other non-removable obstruction on your sketch.
- 3. Record measurements from point A and B to all the points you have marked around pool perimeter.
 - a. Secure the end of your 100 ft. measuring tape to "A" on your A-B line and measure the distance to point #1 and note the distance in the "A" column on the chart provided. Continue around the pool until you have recorded all your points with an "A" measurement.
 - b. Secure the end of your 100 ft. measuring tape to "B" and repeat the step above from "B" on your A-B line.
- 4. a. Take 3-4 diagonal measurements randomly from numbered points on the pool and note in the spaces provided.

Items such as slide legs, ladders (that are not removable), etc. that are with 2' of pool will be cutouts.

Measure these items after all pool points are finished.

